




**ruutu**


**SILVER GRIP**

Silver Grip is a unique scratch and abrasion resistance anti-slip sheet vinyl floor with Silver Knight Tech surface. Available in 15 designs including colours and wood effects, the product is suitable for healthcare, education and other clinical environments.


High Performance  
Safety Floor Covering




SG2001




SG2002




SG2003



SG2004




SG2005




SG2006



SG2007



SG2008



SG2009



SG20010



SG20011



SG20013



SG20014



SG20015



SG20016

# RUUTU SILVER GRIP

Silver Grip is produced with 9 functional colours and 6 wood effect designs giving a wide range of options. With a unique Silver Knight Tec surface which offers a solution for the most significant problem of health infections spreading in hospitals. Its self-disinfecting surface constituted by Nano-Silver and Nano-TiO<sub>2</sub> particles is the perfect choice for any healthcare, education and other clinical environments.

## DESCRIPTION

Construction		compact heterogeneous
Total thickness	EN ISO 24346	2.0mm
Wear layer thickness	EN ISO 24340	0.7mm
Width of roll	EN ISO 24341	2m
Length of roll	EN ISO 24341	20lm
Total weight	EN ISO 23997	2.6kg/m

## CLASSIFICATION

European classification	EN 685	34/43 class
Residual indentation	EN ISO 24343	0.1 max. mm
Dimensional stability	EN ISO 23999	0.2 max. %
Light fastness	EN 20105 B02	grade 6

## PERFORMANCE


Abrasion group	MSZ EN 660-1	class T
Fire resistance	EN 13501-1	class Bfl-s1
	ASTM E 648 / 662	class I/pass
Slip resistance	EN 13893 class DS	class DS
	ASTM D2047-99	dry: 0,96 / wet: 0,89
	RRL Pendulum Test	>36 (wet test)
Abrasion resistance	ASTM D3884-01	g/100 000 c. -1,04
Chemical resistance	EN ISO 26987	YES
	ASTM F925-02	YES
Castor chair resistance	EN ISO 4918	YES
Surface treatment		TECH Surface
Anti-bacterial and fungicid treatment		Silver Knight
Environmental attributes		Phthalate-, solvent and heavy metal free product
Seaming method heat or cold weld		heat or cold weld
Warranty		10 years
CE MARKING	EN 14041	YES

## PREPARATION AND INSTALLATION

Destroys harmful bacteria, Excellent slip resistance, Durability, Premium vlies backing, Flexibility

## CONSTRUCTION

Silver Knight  
Tech Surface wear layer  
PVC Layer  
Glass fibre reinforcement  
Flexyback® non-woven backing



Please contact [team@ruutu.co.uk](mailto:team@ruutu.co.uk) for care and maintenance and installation guides



**ruutu.co.uk**

+44 (0)20 3633 5112  
team@ruutu.co.uk

---

**London Design Studio**

121-131 Rosebery Avenue,  
Clerkenwell,  
London, EC1R 4RF  
team@ruutu.co.uk

**Finland Design Studio**

Bulevardi 21  
Helsinki, 00180  
Finland  
team@ruutu.eu

**Amsterdam Design Studio**

Vijzelstraat 68  
Amsterdam, 1017 HL  
Netherlands  
team@ruutu.eu

**Copenhagen Design Studio**

Ny Carlsberg Vej 80  
Copenhagen, 1799  
Denmark  
team@ruutu.eu

**New York Design Studio**

424-434 West 33rd Street,  
New York City, New York  
10001  
team@ruutu.us